



Pipe Production Catalogue

Product range: OCTG tubing & casing

- Sizes: ranging from 2 3/8" - 9 5/8" (2 3/8" - 7", 4 1/2" - 9 5/8")
- Grades: J55, K55, N80, L80, L80HC P110, P110HC
- End Finishes: NUE T&C, EUE T&C, PE, STC, LTC, BTC
- Specifications: API 5CT
- Groups: 1(H, J, K, N), 2(C, L, M, T), 3(P) & 4(Q)
- Product specification Levels: PSL 1, PSL 2
- Casing: 4 1/2" - 9 5/8"
- Tubing: 2 3/8" - 4 1/2"

Diameter, inch	Wall Thickness, inch																							
	0.190	0.217	0.224	0.254	0.250	0.264	0.270	0.272	0.275	0.290	0.304	0.317	0.337	0.352	0.361	0.362	0.395	0.408	0.415	0.435	0.453	0.476	0.498	
2 3/8	4.70 lb/ft																							
2 7/8		6.50 lb/ft																						
3 1/2				9.30 lb/ft																				
4 1/2			10.5 lb/ft		11.60 lb/ft		12.75 lb/ft				13.50 lb/ft		15.10 lb/ft											
5 1/2									15.50 lb/ft		17.00 lb/ft				20.00 lb/ft				23.00 lb/ft			26.00 lb/ft		
7										20.00 lb/ft			23.00 lb/ft			26.00 lb/ft		29.00 lb/ft			32.00 lb/ft		35.00 lb/ft	
8 5/8						24.00 lb/ft												36.00 lb/ft						
9 5/8																	40.00 lb/ft				43.50 lb/ft			

Product range: Line pipe

- Sizes: Ranging from 2 3/8" - 20" (2 3/8" - 6 5/8", 8 5/8" - 20")
- Wall thickness: 0.065" - 0.5"
- Grade: B-X80
- Length: DRL & TRL up to 65 ft.

Pipe Size		WT in inches lbs per foot															
nominal pipe size	OD in inches	5s	true 5	10s	true 10	20	30	40s & STD	True 40	60	80s & XH	True 80	100	120	140	160	XXH
2	2.375	0.065 1.604	0.065 1.604	0.109 2.638	0.109 2.638		0.125 3.007	0.154 3.653	0.154 3.653		0.218 5.022	0.218 5.022				0.344 7.462	0.436 9.029
2 1/2	2.875	0.083 2.475	0.083 2.475	0.120 3.531	0.120 3.531		0.188 5.400	0.203 5.793	0.203 5.793		0.276 7.661	0.276 7.661				0.375 10.01	
3	3.5	0.083 3.029	0.083 3.029	0.120 4.332	0.120 4.332		0.188 6.656	0.216 7.576	0.216 7.576		0.300 10.25	0.300 10.25				0.437 14.32	
3 1/2	4	0.083 3.472	0.083 3.472	0.120 4.970	0.120 4.970		0.188 7.661	0.226 9.109	0.226 9.109		0.318 12.51	0.318 12.51					
4	4.5	0.083 3.915	0.083 3.915	0.120 5.613	0.120 5.613		0.188 8.666	0.237 10.79	0.237 10.79	0.281 12.66	0.337 14.98	0.337 14.98		0.437 19.01			
4 1/2	5							0.247 12.53			0.355 17.61						
5	5.563	0.109 6.349	0.109 6.349	0.134 7.770	0.134 7.770			0.258 14.62	0.258 14.62		0.375 20.78	0.375 20.78		0.500 27.04			
6	6.625	0.109 7.585	0.109 7.585	0.134 9.289	0.134 9.289			0.280 18.97	0.280 18.97		0.432 28.57	0.432 28.57					
8	8.625	0.109 9.914	0.109 9.914	0.148 13.40	0.148 13.40	0.250 22.36	0.277 24.70	0.322 28.55	0.322 28.55	0.406 35.64	0.500 43.39	0.500 43.39	0.593 50.87	0.718 60.63	0.812 67.76	0.906 74.69	0.875 72.42
10	10.75	0.134 15.19	0.134 15.19	0.165 18.65	0.165 18.65	0.250 28.04	0.307 32.24	0.365 40.48	0.365 40.48	0.500 54.74	0.500 54.74	0.593 64.33	0.718 76.93	0.843 89.2	1.000 104.1	1.125 115.7	1.000 104.1
12	12.75	0.156 21.07	0.165 22.18	0.180 24.20	0.180 24.20	0.250 33.38	0.330 43.77	0.375 49.56	0.406 53.53	0.562 73.16	0.500 65.42	0.687 88.51	0.843 107.2	1.000 125.5	1.125 139.7	1.312 160.3	1.000 125.5
14	14	0.156 23.06		0.188 27.73	0.250 36.71	0.312 45.68	0.375 54.57	0.375 54.57	0.437 63.67	0.593 84.91	0.500 72.09	0.750 106.1	0.937 130.7	1.093 150.7	1.250 170.2	1.406 189.1	1.000 138.8
16	16	0.165 27.90		0.188 31.75	0.250 42.05	0.312 52.36	0.375 62.58	0.375 62.58	0.500 82.77	0.656 107.5	0.500 82.77	0.687 136.5	0.843 164.8	1.000 192.3	1.125 223.5	1.312 245.1	1.000 160.2
18	18	0.165 31.43		0.188 35.76	0.250 47.39	0.312 59.03	0.375 82.09	0.375 70.59	0.562 104.8	0.750 138.2	0.500 93.45	0.937 170.8	1.156 208.0	1.375 244.1	1.562 274.2	1.781 308.5	1.000 181.6
20	20	0.188 39.78		0.218 46.05	0.250 52.73	0.375 78.60	0.500 104.1	0.375 78.60	0.593 122.9	0.812 166.4	0.500 104.1	1.031 208.9	1.281 256.1	1.500 296.4	1.750 341.1	1.968 379.0	1.000 202.9